

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS 0	hotta.in. and minolta.as.	USPAT	2004/08/12 15:58		
2	BRS 10	hotta.in. and minolta.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:02		
3	BRS 0	2000339467.URPN.	USPAT	2004/08/12 15:59		
4	BRS 30	polhemus.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:10		
5	BRS 80	((NORITA and TOSHIO).in. and (three adj dimension\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:32		
6	BRS 1	((NORITA and TOSHIO).in. and (three adj dimension\$4)) and (turn adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:32		
7	BRS 60363	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:39		
8	BRS 4273	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:29		
9	BRS 119	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:24		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
10	BRS 1713	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimensions\$4)) with imag\$4 same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) with (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:42		
11	BRS 2790	356/601-613.cc1s. or 382/154,285,293.cc1s.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:13		
12	BRS 1338	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimensions\$4)) with imag\$4 same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:12		
13	BRS 513	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimensions\$4)) with imag\$4 same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))) with (subject or object or model or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:33		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14	BRS 106	(356/601-613.ccls. or 382/154, 285, 293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))) with (subject or object or model or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:33		
15	BRS 84	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same (((orientation or pose or posture or position or Coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:36		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or Coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$4) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or (measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:59		
17	BRS 84	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:12		
18	BRS 121	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
19	BRS 1454	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:11		
20	BRS 42	((three adj dimensions\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:13		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
21	BRS 57	(((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:13		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	
	22 BRS 20	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:13			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
23	BRS 121	<p>((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4 same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locate\$4)) not (((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) and (((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same (((orientation or pose or posture or position or coordinate or locate\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or</p>	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
24	BRS 105	<p>((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4)</p> <p>same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
25	BRS 103	<p>(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4)) not ((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))) not ((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		((356/601-613.ccls. or 382/154,285,293.ccls.) and ((three adj dimension\$4) or 3d or 3-d or ("3" adj dimensions\$4) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)) with (subject or object or model or scene))) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:27		
26	BRS 5	5285397.URPN.	USPAT	2004/08/12 18:32		
27	BRS 24	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((turn adj table) or turntable) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:12		
28	BRS 5	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimensions\$4) with imag\$4) same ((turn adj table) or turntable) and (transmit\$3 and receiv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:39		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable) and (transmit\$3 and receiv\$3)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmitter and receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:30		
30	23	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmit\$3 and receiv\$3)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmitter and receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:30		
31	13	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) with (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:43		
32	1	W000/66973	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:59		
33	2	"200066973"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:59		
34	1	2001-112022.NRAN.	DERWENT	2004/08/12 19:59		
35	1	2001-112022.NRAN.	DERWENT	2004/08/12 20:04		
36	5	("3840739" "4791482" "4928175" "5446798" "5754680").PN.	USPAT	2004/08/12 20:08		

Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
		((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:18		
37	BRS 1454	356/601-613.ccls. or 382/154,285,293.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:36		
38	BRS 2790	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5)))) and (356/601-613.ccls. or 382/154,285,293.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:13		
39	BRS 228					

Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
		(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captures\$5))))) and (356/601-613.ccls. or 382/154,285,293.ccls.)) and (@ad<=20000926 or @rlad<=20000926)				
		((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captures\$5))) with (object or subject or scene))				
40	BRS 171	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:20			
41	BRS 498	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:19			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
42	BRS 520	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with (imag\$4 or model\$3)) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5))) with (object or subject or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:20		
43	BRS 115	(356/601-613.ccls. or 382/154,285,293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with (imag\$4 or model\$3)) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detects\$4 or measur\$4 or captur\$5))) with (object or subject or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:20		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		((356/601-613.ccls. or 382/154,285,293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same (((orientation or pose or posture or position or coordinate or locat\$4) near7(tracks\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))) with (object or subject or scene))) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:38		
45	BRS 0	"20010014171" and "1103"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:26		
46	BRS 33	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable) and (transmits\$3 and receiv\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:59		
47	BRS 0	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable) and (transmiter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:32		

Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
48	BRS 0	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with (imag\$4 or model\$3) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:34		
49	BRS 0	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with (imag\$4 or model\$3) same ((transmitter and receiver) same (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:34		
50	BRS 88	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with (imag\$4 or model\$3) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:34		
51	BRS 73	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with (imag\$4 or model\$3) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:34		
52	BRS 5	("3840739" "4791482" "4928175" "5446798" "5754680").PN.	USPAT	2004/08/12 20:50		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
53	BRS 143	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:02		
54	BRS 19	(((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same (((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate or locat\$4)) with (camera or (imag\$4 near2 (device or captur\$4 or sens\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:12		
55	BRS 1	"20010005204" and (position with camera with turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:14		
56	ISS&R 1	("6356272").PN.	USPAT	2004/08/12 21:14		
57	BRS 1	(("6356272").PN.) and (position with camera with turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:15		
58	BRS 15047	((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:35		
59	BRS 248	((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) with (camera or (imag\$4 near3 (device or captur\$4 or sens\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:36		
60	BRS 2790	356/601-613.cc1s. or 382/154,285,293.cc1s.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:36		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		(((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) with (camera or (imag\$4 near3 (device or Captur\$4 or sens\$4))) and ((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4))				
61	BRS 73	((transmitter and receiver) with (orientation or pose or posture or position or coordinate) with (camera or (imag\$4 near3 (device or Captur\$4 or sens\$4))) and ((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:37		
62	BRS 39	((transmitter and receiver) with (orientation or pose or posture or position or coordinate) with (camera or (imag\$4 near3 (device or Captur\$4 or sens\$4))) and ((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 18:33		
63	BRS 2	6228028.pn. and position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:52		
64	BRS 455	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4) and ((turn adj table) or turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:52		
65	BRS 4796	((turn adj table) or turntable) with (mark\$4 or point\$1 or fiducial or sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:49		
66	BRS 76	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4) and ((turn adj table) or turntable)) and ((turn adj table) or turntable) with (mark\$4 or point\$1 or fiducial or sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:26		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable) and ((turn adj table) or turntable) with (mark\$4 or point\$1 or fiducial or sensor))) and (@ad<=20000926 or @rlad<=20000926)				
67	49		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:50		
68	1	6081273.pn. and turntable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:36		
69	1316	((turn adj table) or turntable) with (transmitter or receiver or reflect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:52		
70	20	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable) and ((turn adj table) or turntable) with (transmitter or receiver or reflect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		
71	16	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable) and ((turn adj table) or turntable) with (transmitter or receiver or reflect\$3)) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		
72	14397	((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) and ((turn adj table) or turntable) and ((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		
73	135	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) and ((turn adj table) or turntable) or turntable) and ((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate))) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:06		
74	BRS	87	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:06		
75	BRS	0	USPAT	2004/08/13 14:06		
76	BRS	733	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:08		
77	BRS	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:07		
78	BRS	351	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:08		
79	BRS	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:08		
80	IS&R	1	USPAT	2004/08/13 18:37		
81	BRS	1	USPAT	2004/08/13 18:37		